ΑD							

Award Number: W81XWH-€JËEEGHG

TITLE: T age^\{ act+ Á(ÁO) * a, ^^\ Áo@ ÁQ { ` } ^ ÂU^ • c^{

PRINCIPAL INVESTIGATOR: ÖæçãåÁT [[} ^^

CONTRACTING ORGANIZATION: ÁPæçæ¦åÁÔ[||^*^ ÁÔæ{ à¦ãå*^ÉAT ŒÁ€ŒFHÎ Á

Á

REPORT DATE: OE ¦å/G€FF

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release; distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT I	Form Approved	
		OMB No. 0704-0188 ing instructions, searching existing data sources, gathering and maintaining the
data needed, and completing and reviewing this colle this burden to Department of Defense, Washington I	ection of information. Send comments regarding this burden estimate or any leadquarters Services, Directorate for Information Operations and Reports (0 inding any other provision of law, no person shall be subject to any penalty for	other aspect of this collection of information, including suggestions for reducing 704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-r failing to comply with a collection of information if it does not display a currently
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)
01-04-2011	Annual	1 Apr 2010 - 31 Mar 2011
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER
Materials to Engineer the Immur	ne System	5b. GRANT NUMBER
		W81XWH-09-1-0232
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJECT NUMBER
David Mooney		
,		5e. TASK NUMBER
E-Mail: mooneyd@seas.harvar	d.edu	5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NA	8. PERFORMING ORGANIZATION REPORT NUMBER	
Harvard College		NOMBER
Cambridge, MA 02136		
-		
9. SPONSORING / MONITORING AGE U.S. Army Medical Research ar		10. SPONSOR/MONITOR'S ACRONYM(S)
Fort Detrick, Maryland 21702-5		
Tore Bellion, Maryland 21702 e	7012	11. SPONSOR/MONITOR'S REPORT
		NUMBER(S)
12. DISTRIBUTION / AVAILABILITY S	TATEMENT	L
Approved for Public Release; D	istribution Unlimited	
13. SUPPLEMENTARY NOTES		
14. ABSTRACT		
'	s central to current approaches to cancer vacci	
burden, dendritic cell modificatio	ns may be dependent on culture conditions an	d transient, and the vast majority of transplanted
cells die following transplantation	n, leading to weak immune responses. The lor	ng-term objective is to bypass ex vivo cell
manipulation in breast cancer va	accines, and instead develop effective material	systems that program the immune system in situ
The specific hypothesis being ac	ddressed in this project is that a material syster	m providing appropriate spatiotemporal
presentation of GM-CSF, CpG o	ligonucleotides and specific tumor antigens to	host dendritic cells (DCs) can effectively recruit,
	Iritic cells, and the programmed dendritic cells	
,		cycle we demonstrated that polymers presenting
l		of dendritic cells and regulate their activation. In
, , ,		eric vaccines can slow the progression of breast
cancer growth, and reduce meta		s rassings sail sion the progression of broast
	isiasis to the lungs.	
15. SUBJECT TERMS		
Dendritic cells, GM-CSF, CpG, p	ooly(lactide-co-glycolide)	

17. LIMITATION

OF ABSTRACT

UU

18. NUMBER

OF PAGES

6

16. SECURITY CLASSIFICATION OF:

b. ABSTRACT

U

c. THIS PAGE

U

a. REPORT

19a. NAME OF RESPONSIBLE PERSON

19b. TELEPHONE NUMBER (include area code)

USAMRMC

Table of Contents

	Page
Introduction1	
Body1-2	
Key Research Accomplishments2	
Reportable Outcomes2-3	
Conclusion3	i
References3	
Appendices3	

INTRODUCTION:

Cancer vaccines seek to prevent or treat breast cancer by activation of the immune system to destroy tumor cells. Ordinarily, the ability of tumor cells to stimulate an immune response is limited, in part, by weak expression of MHC-antigen complexes and costimulatory signals by antigen presenting cells that stimulate T-cell activation. Many experimental vaccines isolate and program dendritic cells (DCs) ex vivo by pulsing cultured cells with tumor associated antigens to bypass these issues, and introduce the programmed cells back into the patient where they may home to a lymph node, stimulate specific T-cell populations and elicit anti-tumor responses. While considerable progress has been made, the ex vivo manipulation of cells central to current approaches imposes a large economic and regulatory burden, DC modifications may be dependent on culture conditions and be transient, and the vast majority of transplanted cells die following transplantation, leading to weak immune responses. This application proposes a new approach to cancer vaccines, in which host cells are programmed in situ. We specifically propose to develop a material-based cancer vaccine that spatiotemporally controls the presentation of chemotactic factors and programming factors in situ in order to first recruit DCs, and secondly to program these cells with appropriate cues to elicit an effective antitumor response.

BODY:

Task 1: Developing system for GM-CSF tissue exposure to recruit dendritic cells

Completed in Year One with demonstration that sustained and localized release of GM-CSF from polymers can recruit large numbers of dendritic cells.

Task 2: Utilizing local CpG presentation to control maturation and lymph node homing of dendritic cells

Largely completed in Year One with demonstration that local presentation of CpG in concert with GM-CSF allows one to control the types and numbers of dendritic cells at the vaccine site, and their migration to the lymph nodes following antigen loading.

Task 3: Immunologic response to tumors

In the past year, two breast cancer models have been established in the laboratory, as a first step towards examining the efficacy of our approach to breast cancer prevention and treatment. The first model is the NT1 transplantable breast cancer model, as this represents a highly aggressive tumor model that demonstrates significant metastasis to the lungs. The second model is a transplantable and spontaneous breast cancer model that results from overexpression of Her2/neu, on a Balbc background.

Prophylactic vaccination studies were first performed in a transplantable tumor model. Vaccination of mice reduced the subsequent growth of NT1 tumors in mice, with approximately 25% of mice showing no tumor formation over the duration of the experiment (Fig. 1a). This preliminary experiment only utilized a partial vaccine formulation, and will be repeated with the complete vaccine including CpG oligonucleotides in the coming year. Similarly, vaccination of mice subsequently receiving Her2/neu overexpressing cells demonstrated a significant decrease in tumor size following vaccination with either the vaccine containing GM-CSF and antigen, with or without CpG (Fig. 1b). This study is the first of many to be performed over the coming year that will investigate the utility of the vaccine in this model

A therapeutic vaccination trial (NT1 model) was also performed with the complete vaccine (GM-CSF, tumor lysate, CpG), and animal survival and metastasis to the lungs were analyzed. Tumor growth was reduced with vaccination (Fig. 2a), although to a lesser extent than seen in our previous studies with melanoma. Lung metastasis were also reduced with vaccination (Fig. 2b).




Fig. 1 Prophylactic vaccination against NT1 transplantable tumors. Female mice were vaccinated with PLG vaccines containing no agents (blank), tumor lysate alone (Lysate), or with GM-CSF and lysate (GM+Lys), and 14 days later 200,000 NT1 cells were injected into the mammary pad. Mice survival was followed over time.




Fig. 2. Therapeutic vaccination against NT1 transplantable tumors. NT1 cells (200,000) were injected into the mammary pads of female Balbc mice, and the mice were subsequently vaccinated three days after cell injection. The size of the tumors was analyzed at day 17(a), and metastasis to lungs was also examined and quantified (b).

KEY RESEARCH ACCOMPLISHMENTS:

- Demonstrated that vaccine approach can slow tumor growth in two distinct models of breast cancer
- First demonstration that this vaccine can inhibit lung metastasis.

REPORTABLE OUTCOMES:

- No new papers; we anticipate submitting 1-2 papers in the coming year
- Omar Ali was hired back to Harvard University, in order to aid in moving this vaccine approach into human clinical trials.

CONCLUSION:

The results to date indicate that material systems can recruit and activate large numbers of dendritic cells, and generate the types of dendritic cells and microenvironment consistent with generation of a destructive immune response. This orchestration of immune cell responses leads to significant protection in both prophylactic and therapeutic vaccination strategies in rodent models of breast cancer. These findings strongly support the premise underlying this project.

REFERENCES:	
None	
APPENDICES:	
None	
SUPPORTING DATA:	
None	